

EAST Search History

EAST Search History (Prior Art)

| Ref # | Hits | Search Query | DBs | Default Operator | Plurals | Time Stamp |
|-------|------|--|---|------------------|---------|---------------------|
| S1 | 55 | conver\$4 with document with text with (segments or fields) | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2008/07/28 13:48 |
| S2 | 26 | (conver\$4 with document with text with (segments or fields)) and @ad < "20031203" | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2008/07/28 14:42 |
| S3 | 0 | (conver\$4 with document with text with (segments or fields)) and @ad < "20031203" and (field near2 value) | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2008/07/28 14:48 |
| S4 | 0 | (conver\$4 with document with text with (segments or fields)) and @ad < "20031203" and (field with value) | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2008/07/28 14:48 |
| S5 | 209 | (conver\$4 with document with (segments or fields)) and @ad < "20031203" | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2008/07/28 14:49 |
| S6 | 3 | (conver\$4 with document with (segments or fields) with records) and @ad < "20031203" | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2008/07/28 14:49 |
| S7 | 201 | (conver\$4 with (segments or fields) with records) and @ad < "20031203" | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2008/07/28 14:53 |

| | | | | | | |
|-----|----|--|---|----|-----|---------------------|
| S8 | 12 | (conver\$4 with (segments or fields) with records) and @ad < "20031203" and (range with (segments or fields) with records) | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2008/07/28 14:54 |
| S9 | 8 | (conver\$4 with (segments or fields) with records) and @ad < "20031203" and (range with (segments or fields) with records) and ((descript\$4 or name or identfi\$6) with (segments or fields)) | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2008/07/28 14:55 |
| S10 | 2 | (conver\$4 with (segments or fields) with records) and @ad < "20031203" and (range with (segments or fields) with records) and ((descript\$4 or name or identfi\$6) with (segments or fields)) and (value with (segments or fields)) | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2008/07/28 14:55 |
| S11 | 4 | ("6104798" or "6643644").pn. or "20030101238" | US-PGPUB; USPAT | OR | OFF | 2008/07/28 17:18 |
| S12 | 1 | "6826745".pn. | US-PGPUB; USPAT | OR | OFF | 2008/07/29 11:16 |
| S13 | 1 | "20030110090" | US-PGPUB; USPAT | OR | OFF | 2008/07/29 13:20 |
| S14 | 1 | "20030110190" | US-PGPUB; USPAT | OR | OFF | 2008/07/29 13:20 |
| S15 | 16 | (range\$4 with based with (segments or fields) with records) and @ad < "20031203" | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2008/07/29 16:55 |
| S16 | 4 | (range\$4 near2 based with (segments or fields) with records) and @ad < "20031203" | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2008/07/29 16:55 |

| | | | | | | |
|-----|----|--|---|----|-----|---------------------|
| S17 | 4 | ((range\$4 near2 based) with (segments or fields) with records) and @ad < "20031203" | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2008/07/29 16:56 |
| S18 | 43 | (range\$4 with values with (segments or fields) with records) and @ad < "20031203" | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2008/07/29 17:00 |
| S19 | 27 | (range\$4 with values with (segments or fields) with records) and @ad < "20031203" and ((descript\$4 or name or identfi\$6) with (segments or fields)) | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2008/07/29 17:01 |
| S20 | 16 | (range\$4 with values with (segments or fields) with records) and @ad < "20031203" and ((descript\$4) with (segments or fields)) | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2008/07/29 17:11 |
| S25 | 31 | (range\$4 with values with (segments or fields) with descript\$4) and @ad < "20031203" | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2008/07/29 18:11 |
| S26 | 2 | ((range\$4 near2 descript\$4) with (values near2 (segments or fields))) and @ad < "20031203" | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2008/07/29 18:13 |
| S27 | 2 | ((range\$4 near5 descript\$4) with (values near2 (segments or fields))) and @ad < "20031203" | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2008/07/29 18:14 |
| S28 | 5 | ((range\$4 near5 descript\$4) with (values near5 (segments or fields))) and @ad < "20031203" | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2008/07/29 18:14 |

| | | | | | | |
|-----|------|---|---|----|-----|---------------------|
| S29 | 290 | (range\$4 with descript \$4) and (values near2 (segments or fields)) and @ad < "20031203" | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2008/07/29 18:32 |
| S30 | 2 | "20040186817" | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2008/07/29 22:28 |
| S31 | 4 | "20020171673" or "6104798".pn. | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2008/07/30 09:00 |
| S32 | 2 | "20020171673" or "6104798".pn. | US-PGPUB; USPAT | OR | OFF | 2008/07/30 09:00 |
| S33 | 98 | ((creat\$4 or generat \$4) near2 file) with smaller with size | US-PGPUB; USPAT | OR | OFF | 2008/07/30 09:08 |
| S34 | 67 | ((creat\$4 or generat \$4) near2 file) with (smaller near2 size) | US-PGPUB; USPAT | OR | OFF | 2008/07/30 09:08 |
| S35 | 17 | ((creat\$4 or generat \$4) near2 file) near3 (smaller near2 size) | US-PGPUB; USPAT | OR | OFF | 2008/07/30 09:08 |
| S36 | 2541 | 707/204.ccls. | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2008/07/30 14:09 |
| S37 | 3994 | 707/101.ccls. | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2008/07/30 14:09 |
| S38 | 6475 | 707/102.ccls. | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2008/07/30 14:09 |

| | | | | | | |
|-----|----|--|---|----|-----|---------------------|
| S39 | 8 | (conver\$4 with (segments or fields) with records) and @ad < "20031203" and (range with (segments or fields) with records) and ((descript\$4 or name or identfi\$6) with (segments or fields)) | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2008/07/30 14:10 |
| S40 | 0 | S36 and S39 | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2008/07/30 14:10 |
| S41 | 1 | S37 and S39 | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2008/07/30 14:10 |
| S42 | 0 | S38 and S39 | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2008/07/30 14:10 |
| S43 | 17 | ((creat\$4 or generat \$4) near2 file) near3 (smaller near2 size) | US-PGPUB; USPAT | OR | OFF | 2008/07/30 14:11 |
| S44 | 0 | S36 and S43 | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2008/07/30 14:11 |
| S45 | 0 | S37 and S43 | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2008/07/30 14:11 |
| S46 | 0 | S38 and S43 | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2008/07/30 14:11 |

| | | | | | | |
|-----|----|--|---|----|-----|---------------------|
| S47 | 67 | ((creat\$4 or generat\$4) near2 file) with (smaller near2 size) | US-PGPUB; USPAT | OR | OFF | 2008/07/30 14:11 |
| S48 | 3 | S38 and S47 | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2008/07/30 14:11 |
| S49 | 0 | S37 and S47 | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2008/07/30 14:11 |
| S50 | 0 | S36 and S47 | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2008/07/30 14:12 |
| S51 | 2 | "7152062".pn. | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2008/07/30 14:46 |
| S52 | 0 | (range\$4 with values with (segments or fields) with descript\$4) and @ad < "20031203" and (medical with history with patient) | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2009/03/25 08:35 |
| S53 | 0 | (conver\$4 with document with text with (segments or fields)) and @ad < "20031203" and (medical with history with patient) | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2009/03/25 08:36 |
| S54 | 0 | (conver\$4 with document with text with (segments or fields)) and @ad < "20031203" and (medical with history) | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2009/03/25 08:36 |

| | | | | | | |
|-----|-----|--|---|----|-----|---------------------|
| S55 | 0 | (conver\$4 with (segments or fields) with records) and @ad < "20031203" and (range with (segments or fields) with records) and ((descript\$4 or name or identfi\$6) with (segments or fields)) and (medical with history with patient) | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2009/03/25 08:36 |
| S56 | 1 | (conver\$4 with document with (segments or fields)) and @ad < "20031203" and (medical with history with patient) | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2009/03/25 08:36 |
| S57 | 61 | conver\$4 with document with text with (segments or fields) | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2009/03/25 08:40 |
| S58 | 27 | (conver\$4 with document with text with (segments or fields)) and @ad < "20031203" | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2009/03/25 08:40 |
| S59 | 0 | (conver\$4 with document with text with (segments or fields)) and @ad < "20031203" and (field near2 value) | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2009/03/25 08:40 |
| S60 | 1 | (conver\$4 with document with text with (segments or fields)) and @ad < "20031203" and (field with value) | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2009/03/25 08:40 |
| S61 | 212 | (conver\$4 with document with (segments or fields)) and @ad < "20031203" | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2009/03/25 08:40 |

| | | | | | | |
|-----|-----|--|---|----|-----|---------------------|
| S62 | 3 | (conver\$4 with document with (segments or fields) with records) and @ad < "20031203" | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2009/03/25 08:40 |
| S63 | 207 | (conver\$4 with (segments or fields) with records) and @ad < "20031203" | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2009/03/25 08:40 |
| S64 | 12 | (conver\$4 with (segments or fields) with records) and @ad < "20031203" and (range with (segments or fields) with records) | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2009/03/25 08:40 |
| S65 | 8 | (conver\$4 with (segments or fields) with records) and @ad < "20031203" and (range with (segments or fields) with records) and ((descript\$4 or name or identfi\$6) with (segments or fields)) | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2009/03/25 08:40 |
| S66 | 2 | (conver\$4 with (segments or fields) with records) and @ad < "20031203" and (range with (segments or fields) with records) and ((descript\$4 or name or identfi\$6) with (segments or fields)) and (value with (segments or fields)) | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2009/03/25 08:40 |
| S67 | 4 | ("6104798" or "6643644").pn. or "20030101238" | US-PGPUB; USPAT | OR | OFF | 2009/03/25 08:40 |
| S68 | 1 | "6826745".pn. | US-PGPUB; USPAT | OR | OFF | 2009/03/25 08:40 |
| S69 | 1 | "20030110090" | US-PGPUB; USPAT | OR | OFF | 2009/03/25 08:40 |
| S70 | 1 | "20030110190" | US-PGPUB; USPAT | OR | OFF | 2009/03/25 08:40 |

| | | | | | | |
|-----|----|--|---|----|-----|---------------------|
| S71 | 16 | (range\$4 with based with (segments or fields) with records) and @ad < "20031203" | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2009/03/25 08:40 |
| S72 | 4 | (range\$4 near2 based with (segments or fields) with records) and @ad < "20031203" | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2009/03/25 08:40 |
| S73 | 4 | ((range\$4 near2 based) with (segments or fields) with records) and @ad < "20031203" | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2009/03/25 08:40 |
| S74 | 43 | (range\$4 with values with (segments or fields) with records) and @ad < "20031203" | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2009/03/25 08:40 |
| S75 | 27 | (range\$4 with values with (segments or fields) with records) and @ad < "20031203" and ((descript\$4 or name or identfi\$6) with (segments or fields)) | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2009/03/25 08:40 |
| S76 | 16 | (range\$4 with values with (segments or fields) with records) and @ad < "20031203" and ((descript\$4) with (segments or fields)) | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2009/03/25 08:40 |
| S77 | 32 | (range\$4 with values with (segments or fields) with descript\$4) and @ad < "20031203" | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2009/03/25 08:40 |
| S78 | 2 | ((range\$4 near2 descript\$4) with (values near2 (segments or fields))) and @ad < "20031203" | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2009/03/25 08:40 |

| | | | | | | |
|-----|------|---|---|----|-----|---------------------|
| S79 | 2 | ((range\$4 near5 descript\$4) with (values near2 (segments or fields))) and @ad < "20031203" | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2009/03/25 08:40 |
| S80 | 5 | ((range\$4 near5 descript\$4) with (values near5 (segments or fields))) and @ad < "20031203" | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2009/03/25 08:40 |
| S81 | 298 | (range\$4 with descript \$4) and (values near2 (segments or fields)) and @ad < "20031203" | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2009/03/25 08:40 |
| S82 | 2 | "20040186817" | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2009/03/25 08:40 |
| S83 | 4 | "20020171673" or "6104798".pn. | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2009/03/25 08:40 |
| S84 | 2 | "20020171673" or "6104798".pn. | US-PGPUB; USPAT | OR | OFF | 2009/03/25 08:40 |
| S85 | 115 | ((creat\$4 or generat \$4) near2 file) with smaller with size | US-PGPUB; USPAT | OR | OFF | 2009/03/25 08:40 |
| S86 | 78 | ((creat\$4 or generat \$4) near2 file) with (smaller near2 size) | US-PGPUB; USPAT | OR | OFF | 2009/03/25 08:40 |
| S87 | 22 | ((creat\$4 or generat \$4) near2 file) near3 (smaller near2 size) | US-PGPUB; USPAT | OR | OFF | 2009/03/25 08:40 |
| S88 | 2905 | 707/204.ccls. | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2009/03/25 08:40 |

| | | | | | | |
|-----|------|---|---|----|-----|---------------------|
| S89 | 4616 | 707/101.ccls. | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2009/03/25 08:40 |
| S90 | 7470 | 707/102.ccls. | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2009/03/25 08:40 |
| S91 | 8 | (conver\$4 with (segments or fields) with records) and @ad < "20031203" and (range with (segments or fields) with records) and ((descript\$4 or name or identfi\$6) with (segments or fields)) | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2009/03/25 08:40 |
| S92 | 0 | S88 and S91 | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2009/03/25 08:40 |
| S93 | 1 | S89 and S91 | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2009/03/25 08:40 |
| S94 | 0 | S90 and S91 | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2009/03/25 08:40 |
| S95 | 22 | ((creat\$4 or generat \$4) near2 file) near3 (smaller near2 size) | US-PGPUB; USPAT | OR | OFF | 2009/03/25 08:40 |
| S96 | 0 | S88 and S95 | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2009/03/25 08:40 |

| | | | | | | |
|------|----|--|---|----|-----|---------------------|
| S97 | 0 | S89 and S95 | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2009/03/25 08:40 |
| S98 | 0 | S90 and S95 | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2009/03/25 08:40 |
| S99 | 78 | ((creat\$4 or generat \$4) near2 file) with (smaller near2 size) | US-PGPUB; USPAT | OR | OFF | 2009/03/25 08:40 |
| S100 | 3 | S90 and S99 | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2009/03/25 08:40 |
| S101 | 1 | S89 and S99 | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2009/03/25 08:40 |
| S102 | 0 | S88 and S99 | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2009/03/25 08:40 |
| S103 | 2 | "7152062".pn. | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2009/03/25 08:40 |
| S104 | 10 | (authorized with access with medical with history) and @ad < "20031203" and (medical with history with patient) | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2009/03/25 09:23 |
| S105 | 1 | "7379978".pn. | US-PGPUB; USPAT | OR | OFF | 2009/03/27 14:34 |

| | | | | | | |
|------|-----|--|---|----|-----|---------------------|
| S106 | 61 | conver\$4 with document with text with (segments or fields) | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2009/03/28 10:23 |
| S107 | 27 | (conver\$4 with document with text with (segments or fields)) and @ad < "20031203" | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2009/03/28 10:23 |
| S108 | 0 | (conver\$4 with document with text with (segments or fields)) and @ad < "20031203" and (field near2 value) | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2009/03/28 10:23 |
| S109 | 1 | (conver\$4 with document with text with (segments or fields)) and @ad < "20031203" and (field with value) | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2009/03/28 10:23 |
| S110 | 212 | (conver\$4 with document with (segments or fields)) and @ad < "20031203" | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2009/03/28 10:23 |
| S111 | 3 | (conver\$4 with document with (segments or fields) with records) and @ad < "20031203" | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2009/03/28 10:23 |
| S112 | 207 | (conver\$4 with (segments or fields) with records) and @ad < "20031203" | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2009/03/28 10:23 |
| S113 | 12 | (conver\$4 with (segments or fields) with records) and @ad < "20031203" and (range with (segments or fields) with records) | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2009/03/28 10:23 |

| | | | | | | |
|------|----|--|---|----|-----|---------------------|
| S114 | 8 | (conver\$4 with (segments or fields) with records) and @ad < "20031203" and (range with (segments or fields) with records) and ((descript\$4 or name or identfi\$6) with (segments or fields)) | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2009/03/28 10:23 |
| S115 | 2 | (conver\$4 with (segments or fields) with records) and @ad < "20031203" and (range with (segments or fields) with records) and ((descript\$4 or name or identfi\$6) with (segments or fields)) and (value with (segments or fields)) | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2009/03/28 10:23 |
| S116 | 4 | ("6104798" or "6643644").pn. or "20030101238" | US-PGPUB; USPAT | OR | OFF | 2009/03/28 10:23 |
| S117 | 1 | "6826745".pn. | US-PGPUB; USPAT | OR | OFF | 2009/03/28 10:23 |
| S118 | 1 | "20030110090" | US-PGPUB; USPAT | OR | OFF | 2009/03/28 10:23 |
| S119 | 1 | "20030110190" | US-PGPUB; USPAT | OR | OFF | 2009/03/28 10:23 |
| S120 | 16 | (range\$4 with based with (segments or fields) with records) and @ad < "20031203" | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2009/03/28 10:23 |
| S121 | 4 | (range\$4 near2 based with (segments or fields) with records) and @ad < "20031203" | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2009/03/28 10:23 |
| S122 | 4 | ((range\$4 near2 based) with (segments or fields) with records) and @ad < "20031203" | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2009/03/28 10:23 |

| | | | | | | |
|------|-----|--|---|----|-----|---------------------|
| S123 | 43 | (range\$4 with values with (segments or fields) with records) and @ad < "20031203" | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2009/03/28 10:23 |
| S124 | 27 | (range\$4 with values with (segments or fields) with records) and @ad < "20031203" and ((descript\$4 or name or identfi\$6) with (segments or fields)) | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2009/03/28 10:23 |
| S125 | 16 | (range\$4 with values with (segments or fields) with records) and @ad < "20031203" and ((descript\$4) with (segments or fields)) | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2009/03/28 10:23 |
| S126 | 32 | (range\$4 with values with (segments or fields) with descript\$4) and @ad < "20031203" | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2009/03/28 10:23 |
| S127 | 2 | ((range\$4 near2 descript\$4) with (values near2 (segments or fields))) and @ad < "20031203" | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2009/03/28 10:23 |
| S128 | 2 | ((range\$4 near5 descript\$4) with (values near2 (segments or fields))) and @ad < "20031203" | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2009/03/28 10:23 |
| S129 | 5 | ((range\$4 near5 descript\$4) with (values near5 (segments or fields))) and @ad < "20031203" | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2009/03/28 10:23 |
| S130 | 298 | (range\$4 with descript \$4) and (values near2 (segments or fields)) and @ad < "20031203" | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2009/03/28 10:23 |

| | | | | | | |
|------|------|---|---|----|-----|---------------------|
| S131 | 2 | "20040186817" | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2009/03/28 10:23 |
| S132 | 4 | "20020171673" or "6104798".pn. | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2009/03/28 10:23 |
| S133 | 2 | "20020171673" or "6104798".pn. | US-PGPUB; USPAT | OR | OFF | 2009/03/28 10:23 |
| S134 | 115 | ((creat\$4 or generat \$4) near2 file) with smaller with size | US-PGPUB; USPAT | OR | OFF | 2009/03/28 10:23 |
| S135 | 78 | ((creat\$4 or generat \$4) near2 file) with (smaller near2 size) | US-PGPUB; USPAT | OR | OFF | 2009/03/28 10:23 |
| S136 | 22 | ((creat\$4 or generat \$4) near2 file) near3 (smaller near2 size) | US-PGPUB; USPAT | OR | OFF | 2009/03/28 10:23 |
| S137 | 2911 | 707/204.ccls. | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2009/03/28 10:23 |
| S138 | 4622 | 707/101.ccls. | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2009/03/28 10:23 |
| S139 | 7490 | 707/102.ccls. | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2009/03/28 10:23 |
| S140 | 8 | (conver\$4 with (segments or fields) with records) and @ad < "20031203" and (range with (segments or fields) with records) and ((descript\$4 or name or identfi\$6) with (segments or fields)) | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2009/03/28 10:23 |

| | | | | | | |
|------|----|---|---|----|-----|---------------------|
| S141 | 0 | S137 and S140 | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2009/03/28 10:23 |
| S142 | 1 | S138 and S140 | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2009/03/28 10:23 |
| S143 | 0 | S139 and S140 | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2009/03/28 10:23 |
| S144 | 22 | ((creat\$4 or generat \$4) near2 file) near3 (smaller near2 size) | US-PGPUB; USPAT | OR | OFF | 2009/03/28 10:23 |
| S145 | 0 | S137 and S144 | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2009/03/28 10:23 |
| S146 | 0 | S138 and S144 | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2009/03/28 10:23 |
| S147 | 0 | S139 and S144 | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2009/03/28 10:23 |
| S148 | 78 | ((creat\$4 or generat \$4) near2 file) with (smaller near2 size) | US-PGPUB; USPAT | OR | OFF | 2009/03/28 10:23 |
| S149 | 3 | S139 and S148 | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2009/03/28 10:23 |

| | | | | | | |
|------|---|---|---|----|-----|---------------------|
| S150 | 1 | S138 and S148 | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2009/03/28 10:23 |
| S151 | 0 | S137 and S148 | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2009/03/28 10:23 |
| S152 | 2 | "7152062".pn. | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2009/03/28 10:23 |
| S153 | 0 | (range\$4 with values with (segments or fields) with descript\$4) and @ad < "20031203" and (medical with history with patient) | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2009/03/28 10:23 |
| S154 | 0 | (conver\$4 with document with text with (segments or fields)) and @ad < "20031203" and (medical with history with patient) | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2009/03/28 10:23 |
| S155 | 0 | (conver\$4 with document with text with (segments or fields)) and @ad < "20031203" and (medical with history) | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2009/03/28 10:23 |
| S156 | 0 | (conver\$4 with (segments or fields) with records) and @ad < "20031203" and (range with (segments or fields) with records) and ((descript\$4 or name or identfi\$6) with (segments or fields)) and (medical with history with patient) | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2009/03/28 10:23 |

| | | | | | | |
|------|-----|--|---|----|-----|---------------------|
| S157 | 1 | (conver\$4 with document with (segments or fields)) and @ad < "20031203" and (medical with history with patient) | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2009/03/28 10:23 |
| S158 | 61 | conver\$4 with document with text with (segments or fields) | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2009/03/28 10:23 |
| S159 | 27 | (conver\$4 with document with text with (segments or fields)) and @ad < "20031203" | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2009/03/28 10:23 |
| S160 | 0 | (conver\$4 with document with text with (segments or fields)) and @ad < "20031203" and (field near2 value) | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2009/03/28 10:23 |
| S161 | 1 | (conver\$4 with document with text with (segments or fields)) and @ad < "20031203" and (field with value) | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2009/03/28 10:23 |
| S162 | 212 | (conver\$4 with document with (segments or fields)) and @ad < "20031203" | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2009/03/28 10:23 |
| S163 | 3 | (conver\$4 with document with (segments or fields) with records) and @ad < "20031203" | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2009/03/28 10:23 |
| S164 | 207 | (conver\$4 with (segments or fields) with records) and @ad < "20031203" | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2009/03/28 10:23 |

| | | | | | | |
|------|----|--|---|----|-----|---------------------|
| S165 | 12 | (conver\$4 with (segments or fields) with records) and @ad < "20031203" and (range with (segments or fields) with records) | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2009/03/28 10:23 |
| S166 | 8 | (conver\$4 with (segments or fields) with records) and @ad < "20031203" and (range with (segments or fields) with records) and ((descript\$4 or name or identfi\$6) with (segments or fields)) | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2009/03/28 10:23 |
| S167 | 2 | (conver\$4 with (segments or fields) with records) and @ad < "20031203" and (range with (segments or fields) with records) and ((descript\$4 or name or identfi\$6) with (segments or fields)) and (value with (segments or fields)) | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2009/03/28 10:23 |
| S168 | 4 | ("6104798" or "6643644").pn. or "20030101238" | US-PGPUB; USPAT | OR | OFF | 2009/03/28 10:23 |
| S169 | 1 | "6826745".pn. | US-PGPUB; USPAT | OR | OFF | 2009/03/28 10:23 |
| S170 | 1 | "20030110090" | US-PGPUB; USPAT | OR | OFF | 2009/03/28 10:23 |
| S171 | 1 | "20030110190" | US-PGPUB; USPAT | OR | OFF | 2009/03/28 10:23 |
| S172 | 16 | (range\$4 with based with (segments or fields) with records) and @ad < "20031203" | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2009/03/28 10:23 |
| S173 | 4 | (range\$4 near2 based with (segments or fields) with records) and @ad < "20031203" | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2009/03/28 10:23 |

| | | | | | | |
|------|----|--|---|----|-----|---------------------|
| S174 | 4 | ((range\$4 near2 based) with (segments or fields) with records) and @ad < "20031203" | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2009/03/28 10:23 |
| S175 | 43 | (range\$4 with values with (segments or fields) with records) and @ad < "20031203" | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2009/03/28 10:23 |
| S176 | 27 | (range\$4 with values with (segments or fields) with records) and @ad < "20031203" and ((descript\$4 or name or identfi\$6) with (segments or fields)) | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2009/03/28 10:23 |
| S177 | 16 | (range\$4 with values with (segments or fields) with records) and @ad < "20031203" and ((descript\$4) with (segments or fields)) | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2009/03/28 10:23 |
| S178 | 32 | (range\$4 with values with (segments or fields) with descript\$4) and @ad < "20031203" | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2009/03/28 10:23 |
| S179 | 2 | ((range\$4 near2 descript\$4) with (values near2 (segments or fields))) and @ad < "20031203" | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2009/03/28 10:23 |
| S180 | 2 | ((range\$4 near5 descript\$4) with (values near2 (segments or fields))) and @ad < "20031203" | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2009/03/28 10:23 |
| S181 | 5 | ((range\$4 near5 descript\$4) with (values near5 (segments or fields))) and @ad < "20031203" | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2009/03/28 10:23 |

| | | | | | | |
|------|------|---|---|----|-----|---------------------|
| S182 | 298 | (range\$4 with descript \$4) and (values near2 (segments or fields)) and @ad < "20031203" | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2009/03/28 10:23 |
| S183 | 2 | "20040186817" | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2009/03/28 10:23 |
| S184 | 4 | "20020171673" or "6104798".pn. | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2009/03/28 10:23 |
| S185 | 2 | "20020171673" or "6104798".pn. | US-PGPUB; USPAT | OR | OFF | 2009/03/28 10:23 |
| S186 | 115 | ((creat\$4 or generat \$4) near2 file) with smaller with size | US-PGPUB; USPAT | OR | OFF | 2009/03/28 10:23 |
| S187 | 78 | ((creat\$4 or generat \$4) near2 file) with (smaller near2 size) | US-PGPUB; USPAT | OR | OFF | 2009/03/28 10:23 |
| S188 | 22 | ((creat\$4 or generat \$4) near2 file) near3 (smaller near2 size) | US-PGPUB; USPAT | OR | OFF | 2009/03/28 10:23 |
| S189 | 2911 | 707/204.ccls. | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2009/03/28 10:23 |
| S190 | 4622 | 707/101.ccls. | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2009/03/28 10:23 |
| S191 | 7490 | 707/102.ccls. | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2009/03/28 10:24 |

| | | | | | | |
|------|----|--|---|----|-----|---------------------|
| S192 | 8 | (conver\$4 with (segments or fields) with records) and @ad < "20031203" and (range with (segments or fields) with records) and ((descript\$4 or name or identfi\$6) with (segments or fields)) | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2009/03/28 10:24 |
| S193 | 0 | S189 and S192 | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2009/03/28 10:24 |
| S194 | 1 | S190 and S192 | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2009/03/28 10:24 |
| S195 | 0 | S191 and S192 | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2009/03/28 10:24 |
| S196 | 22 | ((creat\$4 or generat \$4) near2 file) near3 (smaller near2 size) | US-PGPUB; USPAT | OR | OFF | 2009/03/28 10:24 |
| S197 | 0 | S189 and S196 | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2009/03/28 10:24 |
| S198 | 0 | S190 and S196 | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2009/03/28 10:24 |
| S199 | 0 | S191 and S196 | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2009/03/28 10:24 |

| | | | | | | |
|------|----|---|---|----|-----|---------------------|
| S200 | 78 | ((creat\$4 or generat\$4) near2 file) with (smaller near2 size) | US-PGPUB; USPAT | OR | OFF | 2009/03/28 10:24 |
| S201 | 3 | S191 and S200 | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2009/03/28 10:24 |
| S202 | 1 | S190 and S200 | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2009/03/28 10:24 |
| S203 | 0 | S189 and S200 | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2009/03/28 10:24 |
| S204 | 2 | "7152062".pn. | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2009/03/28 10:24 |
| S205 | 10 | (authorized with access with medical with history) and @ad < "20031203" and (medical with history with patient) | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2009/03/28 10:24 |
| S206 | 1 | "7379978".pn. | US-PGPUB; USPAT | OR | OFF | 2009/03/28 10:24 |
| S207 | 1 | ((text near3 range) with based) and (table with database) and @ad < "20031203" | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2009/12/20 13:16 |
| S208 | 10 | ((text near3 range) with based) and (table and database) and @ad < "20031203" | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2009/12/20 13:18 |

| | | | | | | |
|------|-----|---|---|----|-----|---------------------|
| S209 | 251 | ((text near2 range)) and (table and database) and @ad < "20031203" | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2009/12/20 13:49 |
| S210 | 2 | ((text near2 range) with compar\$4) and (table and database) and @ad < "20031203" | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2009/12/20 13:52 |
| S211 | 46 | ((text adj range)) and (table and database) and @ad < "20031203" | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2009/12/20 13:59 |
| S212 | 112 | ((text adj string\$1) with compari\$4) and (table and database) and @ad < "20031203" | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2009/12/20 14:14 |
| S213 | 1 | ((text adj string\$1) with compari\$4 with range) and (table and database) and @ad < "20031203" | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2009/12/20 14:14 |
| S214 | 12 | ((text adj string\$1) with compari\$4 with based) and (table and database) and @ad < "20031203" | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2009/12/20 14:17 |
| S215 | 12 | ((text adj string\$1) with compari\$4 with between) and (table and database) and @ad < "20031203" | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2009/12/20 15:03 |
| S216 | 2 | "7194684".pn. | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2009/12/21 14:23 |

| | | | | | | |
|------|-----|--|---|----|-----|---------------------|
| S217 | 2 | ((text adj string\$1) with (high\$3 or low\$3) with range) and (table with database) and @ad < "20031203" | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2009/12/21 14:37 |
| S218 | 65 | conver\$4 with document with text with (segments or fields) | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2010/03/22 21:47 |
| S219 | 27 | (conver\$4 with document with text with (segments or fields)) and @ad < "20031203" | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2010/03/22 21:47 |
| S220 | 0 | (conver\$4 with document with text with (segments or fields)) and @ad < "20031203" and (field near2 value) | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2010/03/22 21:47 |
| S221 | 1 | (conver\$4 with document with text with (segments or fields)) and @ad < "20031203" and (field with value) | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2010/03/22 21:47 |
| S222 | 215 | (conver\$4 with document with (segments or fields)) and @ad < "20031203" | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2010/03/22 21:47 |
| S223 | 3 | (conver\$4 with document with (segments or fields) with records) and @ad < "20031203" | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2010/03/22 21:47 |
| S224 | 211 | (conver\$4 with (segments or fields) with records) and @ad < "20031203" | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2010/03/22 21:47 |

| | | | | | | |
|------|----|--|---|----|-----|---------------------|
| S225 | 12 | (conver\$4 with (segments or fields) with records) and @ad < "20031203" and (range with (segments or fields) with records) | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2010/03/22 21:47 |
| S226 | 8 | (conver\$4 with (segments or fields) with records) and @ad < "20031203" and (range with (segments or fields) with records) and ((descript\$4 or name or identfi\$6) with (segments or fields)) | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2010/03/22 21:47 |
| S227 | 2 | (conver\$4 with (segments or fields) with records) and @ad < "20031203" and (range with (segments or fields) with records) and ((descript\$4 or name or identfi\$6) with (segments or fields)) and (value with (segments or fields)) | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2010/03/22 21:47 |
| S228 | 4 | ("6104798" or "6643644").pn. or "20030101238" | US-PGPUB; USPAT | OR | OFF | 2010/03/22 21:47 |
| S229 | 1 | "6826745".pn. | US-PGPUB; USPAT | OR | OFF | 2010/03/22 21:47 |
| S230 | 1 | "20030110090" | US-PGPUB; USPAT | OR | OFF | 2010/03/22 21:47 |
| S231 | 1 | "20030110190" | US-PGPUB; USPAT | OR | OFF | 2010/03/22 21:47 |
| S232 | 16 | (range\$4 with based with (segments or fields) with records) and @ad < "20031203" | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2010/03/22 21:47 |
| S233 | 4 | (range\$4 near2 based with (segments or fields) with records) and @ad < "20031203" | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2010/03/22 21:47 |

| | | | | | | |
|------|----|--|---|----|-----|---------------------|
| S234 | 4 | ((range\$4 near2 based) with (segments or fields) with records) and @ad < "20031203" | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2010/03/22 21:47 |
| S235 | 44 | (range\$4 with values with (segments or fields) with records) and @ad < "20031203" | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2010/03/22 21:47 |
| S236 | 28 | (range\$4 with values with (segments or fields) with records) and @ad < "20031203" and ((descript\$4 or name or identfi\$6) with (segments or fields)) | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2010/03/22 21:47 |
| S237 | 16 | (range\$4 with values with (segments or fields) with records) and @ad < "20031203" and ((descript\$4) with (segments or fields)) | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2010/03/22 21:47 |
| S238 | 33 | (range\$4 with values with (segments or fields) with descript\$4) and @ad < "20031203" | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2010/03/22 21:47 |
| S239 | 2 | ((range\$4 near2 descript\$4) with (values near2 (segments or fields))) and @ad < "20031203" | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2010/03/22 21:47 |
| S240 | 2 | ((range\$4 near5 descript\$4) with (values near2 (segments or fields))) and @ad < "20031203" | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2010/03/22 21:47 |
| S241 | 5 | ((range\$4 near5 descript\$4) with (values near5 (segments or fields))) and @ad < "20031203" | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2010/03/22 21:47 |

| | | | | | | |
|------|-----|---|---|----|-----|---------------------|
| S242 | 305 | (range\$4 with descript \$4) and (values near2 (segments or fields)) and @ad < "20031203" | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2010/03/22 21:47 |
| S243 | 2 | "20040186817" | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2010/03/22 21:47 |
| S244 | 4 | "20020171673" or "6104798".pn. | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2010/03/22 21:47 |
| S245 | 2 | "20020171673" or "6104798".pn. | US-PGPUB; USPAT | OR | OFF | 2010/03/22 21:47 |
| S246 | 141 | ((creat\$4 or generat \$4) near2 file) with smaller with size | US-PGPUB; USPAT | OR | OFF | 2010/03/22 21:47 |
| S247 | 92 | ((creat\$4 or generat \$4) near2 file) with (smaller near2 size) | US-PGPUB; USPAT | OR | OFF | 2010/03/22 21:47 |
| S248 | 28 | ((creat\$4 or generat \$4) near2 file) near3 (smaller near2 size) | US-PGPUB; USPAT | OR | OFF | 2010/03/22 21:47 |
| S249 | 0 | 707/204.ccls. | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2010/03/22 21:47 |
| S250 | 0 | 707/101.ccls. | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2010/03/22 21:47 |
| S251 | 0 | 707/102.ccls. | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2010/03/22 21:47 |

| | | | | | | |
|------|----|--|---|----|-----|---------------------|
| S252 | 8 | (conver\$4 with (segments or fields) with records) and @ad < "20031203" and (range with (segments or fields) with records) and ((descript\$4 or name or identfi\$6) with (segments or fields)) | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2010/03/22 21:47 |
| S253 | 0 | S249 and S252 | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2010/03/22 21:47 |
| S254 | 0 | S250 and S252 | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2010/03/22 21:47 |
| S255 | 0 | S251 and S252 | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2010/03/22 21:47 |
| S256 | 28 | ((creat\$4 or generat \$4) near2 file) near3 (smaller near2 size) | US-PGPUB; USPAT | OR | OFF | 2010/03/22 21:47 |
| S257 | 0 | S249 and S256 | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2010/03/22 21:47 |
| S258 | 0 | S250 and S256 | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2010/03/22 21:47 |
| S259 | 0 | S251 and S256 | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2010/03/22 21:47 |

| | | | | | | |
|------|----|--|---|----|-----|---------------------|
| S260 | 92 | ((creat\$4 or generat\$4) near2 file) with (smaller near2 size) | US-PGPUB; USPAT | OR | OFF | 2010/03/22 21:47 |
| S261 | 0 | S251 and S260 | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2010/03/22 21:47 |
| S262 | 0 | S250 and S260 | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2010/03/22 21:47 |
| S263 | 0 | S249 and S260 | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2010/03/22 21:47 |
| S264 | 2 | "7152062".pn. | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2010/03/22 21:47 |
| S265 | 0 | (range\$4 with values with (segments or fields) with descript\$4) and @ad < "20031203" and (medical with history with patient) | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2010/03/22 21:47 |
| S266 | 0 | (conver\$4 with document with text with (segments or fields)) and @ad < "20031203" and (medical with history with patient) | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2010/03/22 21:47 |
| S267 | 0 | (conver\$4 with document with text with (segments or fields)) and @ad < "20031203" and (medical with history) | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2010/03/22 21:47 |

| | | | | | | |
|------|-----|--|---|----|-----|---------------------|
| S268 | 0 | (conver\$4 with (segments or fields) with records) and @ad < "20031203" and (range with (segments or fields) with records) and ((descript\$4 or name or identfi\$6) with (segments or fields)) and (medical with history with patient) | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2010/03/22 21:47 |
| S269 | 1 | (conver\$4 with document with (segments or fields)) and @ad < "20031203" and (medical with history with patient) | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2010/03/22 21:47 |
| S270 | 65 | conver\$4 with document with text with (segments or fields) | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2010/03/22 21:47 |
| S271 | 27 | (conver\$4 with document with text with (segments or fields)) and @ad < "20031203" | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2010/03/22 21:47 |
| S272 | 0 | (conver\$4 with document with text with (segments or fields)) and @ad < "20031203" and (field near2 value) | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2010/03/22 21:47 |
| S273 | 1 | (conver\$4 with document with text with (segments or fields)) and @ad < "20031203" and (field with value) | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2010/03/22 21:47 |
| S274 | 215 | (conver\$4 with document with (segments or fields)) and @ad < "20031203" | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2010/03/22 21:47 |

| | | | | | | |
|------|-----|--|---|----|-----|---------------------|
| S275 | 3 | (conver\$4 with document with (segments or fields) with records) and @ad < "20031203" | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2010/03/22 21:47 |
| S276 | 211 | (conver\$4 with (segments or fields) with records) and @ad < "20031203" | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2010/03/22 21:47 |
| S277 | 12 | (conver\$4 with (segments or fields) with records) and @ad < "20031203" and (range with (segments or fields) with records) | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2010/03/22 21:47 |
| S278 | 8 | (conver\$4 with (segments or fields) with records) and @ad < "20031203" and (range with (segments or fields) with records) and ((descript\$4 or name or identfi\$6) with (segments or fields)) | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2010/03/22 21:47 |
| S279 | 2 | (conver\$4 with (segments or fields) with records) and @ad < "20031203" and (range with (segments or fields) with records) and ((descript\$4 or name or identfi\$6) with (segments or fields)) and (value with (segments or fields)) | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2010/03/22 21:47 |
| S280 | 4 | ("6104798" or "6643644").pn. or "20030101238" | US-PGPUB; USPAT | OR | OFF | 2010/03/22 21:47 |
| S281 | 1 | "6826745".pn. | US-PGPUB; USPAT | OR | OFF | 2010/03/22 21:47 |
| S282 | 1 | "20030110090" | US-PGPUB; USPAT | OR | OFF | 2010/03/22 21:47 |
| S283 | 1 | "20030110190" | US-PGPUB; USPAT | OR | OFF | 2010/03/22 21:47 |

| | | | | | | |
|------|----|--|---|----|-----|---------------------|
| S284 | 16 | (range\$4 with based with (segments or fields) with records) and @ad < "20031203" | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2010/03/22 21:47 |
| S285 | 4 | (range\$4 near2 based with (segments or fields) with records) and @ad < "20031203" | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2010/03/22 21:47 |
| S286 | 4 | ((range\$4 near2 based) with (segments or fields) with records) and @ad < "20031203" | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2010/03/22 21:47 |
| S287 | 44 | (range\$4 with values with (segments or fields) with records) and @ad < "20031203" | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2010/03/22 21:47 |
| S288 | 28 | (range\$4 with values with (segments or fields) with records) and @ad < "20031203" and ((descript\$4 or name or identfi\$6) with (segments or fields)) | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2010/03/22 21:47 |
| S289 | 16 | (range\$4 with values with (segments or fields) with records) and @ad < "20031203" and ((descript\$4) with (segments or fields)) | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2010/03/22 21:47 |
| S290 | 33 | (range\$4 with values with (segments or fields) with descript\$4) and @ad < "20031203" | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2010/03/22 21:47 |
| S291 | 2 | ((range\$4 near2 descript\$4) with (values near2 (segments or fields))) and @ad < "20031203" | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2010/03/22 21:47 |

| | | | | | | |
|------|-----|---|---|----|-----|---------------------|
| S292 | 2 | ((range\$4 near5 descript\$4) with (values near2 (segments or fields))) and @ad < "20031203" | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2010/03/22 21:47 |
| S293 | 5 | ((range\$4 near5 descript\$4) with (values near5 (segments or fields))) and @ad < "20031203" | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2010/03/22 21:47 |
| S294 | 305 | (range\$4 with descript \$4) and (values near2 (segments or fields)) and @ad < "20031203" | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2010/03/22 21:47 |
| S295 | 2 | "20040186817" | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2010/03/22 21:47 |
| S296 | 4 | "20020171673" or "6104798".pn. | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2010/03/22 21:47 |
| S297 | 2 | "20020171673" or "6104798".pn. | US-PGPUB; USPAT | OR | OFF | 2010/03/22 21:47 |
| S298 | 141 | ((creat\$4 or generat \$4) near2 file) with smaller with size | US-PGPUB; USPAT | OR | OFF | 2010/03/22 21:47 |
| S299 | 92 | ((creat\$4 or generat \$4) near2 file) with (smaller near2 size) | US-PGPUB; USPAT | OR | OFF | 2010/03/22 21:47 |
| S300 | 28 | ((creat\$4 or generat \$4) near2 file) near3 (smaller near2 size) | US-PGPUB; USPAT | OR | OFF | 2010/03/22 21:47 |
| S301 | 0 | 707/204.ccls. | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2010/03/22 21:47 |

| | | | | | | |
|------|----|---|---|----|-----|---------------------|
| S302 | 0 | 707/101.ccls. | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2010/03/22 21:47 |
| S303 | 0 | 707/102.ccls. | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2010/03/22 21:47 |
| S304 | 8 | (conver\$4 with (segments or fields) with records) and @ad < "20031203" and (range with (segments or fields) with records) and ((descript\$4 or name or identfi\$6) with (segments or fields)) | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2010/03/22 21:47 |
| S305 | 0 | S301 and S304 | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2010/03/22 21:47 |
| S306 | 0 | S302 and S304 | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2010/03/22 21:47 |
| S307 | 0 | S303 and S304 | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2010/03/22 21:47 |
| S308 | 28 | ((creat\$4 or generat \$4) near2 file) near3 (smaller near2 size) | US-PGPUB; USPAT | OR | OFF | 2010/03/22 21:47 |
| S309 | 0 | S301 and S308 | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2010/03/22 21:47 |

| | | | | | | |
|------|----|--|---|----|-----|---------------------|
| S310 | 0 | S302 and S308 | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2010/03/22 21:47 |
| S311 | 0 | S303 and S308 | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2010/03/22 21:47 |
| S312 | 92 | ((creat\$4 or generat \$4) near2 file) with (smaller near2 size) | US-PGPUB; USPAT | OR | OFF | 2010/03/22 21:47 |
| S313 | 0 | S303 and S312 | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2010/03/22 21:47 |
| S314 | 0 | S302 and S312 | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2010/03/22 21:47 |
| S315 | 0 | S301 and S312 | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2010/03/22 21:47 |
| S316 | 2 | "7152062".pn. | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2010/03/22 21:47 |
| S317 | 10 | (authorized with access with medical with history) and @ad < "20031203" and (medical with history with patient) | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2010/03/22 21:47 |
| S318 | 1 | "7379978".pn. | US-PGPUB; USPAT | OR | OFF | 2010/03/22 21:47 |

| | | | | | | |
|------|-----|--|---|----|-----|---------------------|
| S319 | 65 | conver\$4 with document with text with (segments or fields) | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2010/03/22 21:47 |
| S320 | 27 | (conver\$4 with document with text with (segments or fields)) and @ad < "20031203" | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2010/03/22 21:47 |
| S321 | 0 | (conver\$4 with document with text with (segments or fields)) and @ad < "20031203" and (field near2 value) | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2010/03/22 21:47 |
| S322 | 1 | (conver\$4 with document with text with (segments or fields)) and @ad < "20031203" and (field with value) | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2010/03/22 21:47 |
| S323 | 215 | (conver\$4 with document with (segments or fields)) and @ad < "20031203" | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2010/03/22 21:47 |
| S324 | 3 | (conver\$4 with document with (segments or fields) with records) and @ad < "20031203" | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2010/03/22 21:47 |
| S325 | 211 | (conver\$4 with (segments or fields) with records) and @ad < "20031203" | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2010/03/22 21:47 |
| S326 | 12 | (conver\$4 with (segments or fields) with records) and @ad < "20031203" and (range with (segments or fields) with records) | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2010/03/22 21:47 |

| | | | | | | |
|------|----|--|---|----|-----|---------------------|
| S327 | 8 | (conver\$4 with (segments or fields) with records) and @ad < "20031203" and (range with (segments or fields) with records) and ((descript\$4 or name or identfi\$6) with (segments or fields)) | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2010/03/22 21:47 |
| S328 | 2 | (conver\$4 with (segments or fields) with records) and @ad < "20031203" and (range with (segments or fields) with records) and ((descript\$4 or name or identfi\$6) with (segments or fields)) and (value with (segments or fields)) | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2010/03/22 21:47 |
| S329 | 4 | ("6104798" or "6643644").pn. or "20030101238" | US-PGPUB; USPAT | OR | OFF | 2010/03/22 21:47 |
| S330 | 1 | "6826745".pn. | US-PGPUB; USPAT | OR | OFF | 2010/03/22 21:47 |
| S331 | 1 | "20030110090" | US-PGPUB; USPAT | OR | OFF | 2010/03/22 21:47 |
| S332 | 1 | "20030110190" | US-PGPUB; USPAT | OR | OFF | 2010/03/22 21:47 |
| S333 | 16 | (range\$4 with based with (segments or fields) with records) and @ad < "20031203" | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2010/03/22 21:47 |
| S334 | 4 | (range\$4 near2 based with (segments or fields) with records) and @ad < "20031203" | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2010/03/22 21:47 |
| S335 | 4 | ((range\$4 near2 based) with (segments or fields) with records) and @ad < "20031203" | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2010/03/22 21:47 |

| | | | | | | |
|------|-----|--|---|----|-----|---------------------|
| S336 | 44 | (range\$4 with values with (segments or fields) with records) and @ad < "20031203" | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2010/03/22 21:47 |
| S337 | 28 | (range\$4 with values with (segments or fields) with records) and @ad < "20031203" and ((descript\$4 or name or identfi\$6) with (segments or fields)) | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2010/03/22 21:47 |
| S338 | 16 | (range\$4 with values with (segments or fields) with records) and @ad < "20031203" and ((descript\$4) with (segments or fields)) | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2010/03/22 21:47 |
| S339 | 33 | (range\$4 with values with (segments or fields) with descript\$4) and @ad < "20031203" | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2010/03/22 21:47 |
| S340 | 2 | ((range\$4 near2 descript\$4) with (values near2 (segments or fields))) and @ad < "20031203" | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2010/03/22 21:47 |
| S341 | 2 | ((range\$4 near5 descript\$4) with (values near2 (segments or fields))) and @ad < "20031203" | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2010/03/22 21:47 |
| S342 | 5 | ((range\$4 near5 descript\$4) with (values near5 (segments or fields))) and @ad < "20031203" | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2010/03/22 21:47 |
| S343 | 305 | (range\$4 with descript \$4) and (values near2 (segments or fields)) and @ad < "20031203" | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2010/03/22 21:47 |

| | | | | | | |
|------|-----|---|---|----|-----|---------------------|
| S344 | 2 | "20040186817" | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2010/03/22 21:47 |
| S345 | 4 | "20020171673" or "6104798".pn. | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2010/03/22 21:47 |
| S346 | 2 | "20020171673" or "6104798".pn. | US-PGPUB; USPAT | OR | OFF | 2010/03/22 21:48 |
| S347 | 141 | ((creat\$4 or generat \$4) near2 file) with smaller with size | US-PGPUB; USPAT | OR | OFF | 2010/03/22 21:48 |
| S348 | 92 | ((creat\$4 or generat \$4) near2 file) with (smaller near2 size) | US-PGPUB; USPAT | OR | OFF | 2010/03/22 21:48 |
| S349 | 28 | ((creat\$4 or generat \$4) near2 file) near3 (smaller near2 size) | US-PGPUB; USPAT | OR | OFF | 2010/03/22 21:48 |
| S350 | 0 | 707/204.ccls. | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2010/03/22 21:48 |
| S351 | 0 | 707/101.ccls. | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2010/03/22 21:48 |
| S352 | 0 | 707/102.ccls. | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2010/03/22 21:48 |
| S353 | 8 | (conver\$4 with (segments or fields) with records) and @ad < "20031203" and (range with (segments or fields) with records) and ((descript\$4 or name or identfi\$6) with (segments or fields)) | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2010/03/22 21:48 |

| | | | | | | |
|------|----|---|---|----|-----|---------------------|
| S354 | 0 | S350 and S353 | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2010/03/22 21:48 |
| S355 | 0 | S351 and S353 | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2010/03/22 21:48 |
| S356 | 0 | S352 and S353 | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2010/03/22 21:48 |
| S357 | 28 | ((creat\$4 or generat \$4) near2 file) near3 (smaller near2 size) | US-PGPUB; USPAT | OR | OFF | 2010/03/22 21:48 |
| S358 | 0 | S350 and S357 | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2010/03/22 21:48 |
| S359 | 0 | S351 and S357 | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2010/03/22 21:48 |
| S360 | 0 | S352 and S357 | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2010/03/22 21:48 |
| S361 | 92 | ((creat\$4 or generat \$4) near2 file) with (smaller near2 size) | US-PGPUB; USPAT | OR | OFF | 2010/03/22 21:48 |
| S362 | 0 | S352 and S361 | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2010/03/22 21:48 |

| | | | | | | |
|------|---|---|---|----|-----|---------------------|
| S363 | 0 | S351 and S361 | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2010/03/22 21:48 |
| S364 | 0 | S350 and S361 | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2010/03/22 21:48 |
| S365 | 2 | "7152062".pn. | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2010/03/22 21:48 |
| S366 | 0 | (range\$4 with values with (segments or fields) with descript\$4) and @ad < "20031203" and (medical with history with patient) | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2010/03/22 21:48 |
| S367 | 0 | (conver\$4 with document with text with (segments or fields)) and @ad < "20031203" and (medical with history with patient) | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2010/03/22 21:48 |
| S368 | 0 | (conver\$4 with document with text with (segments or fields)) and @ad < "20031203" and (medical with history) | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2010/03/22 21:48 |
| S369 | 0 | (conver\$4 with (segments or fields) with records) and @ad < "20031203" and (range with (segments or fields) with records) and ((descript\$4 or name or identfi\$6) with (segments or fields)) and (medical with history with patient) | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2010/03/22 21:48 |

| | | | | | | |
|------|-----|--|---|----|-----|---------------------|
| S370 | 1 | (conver\$4 with document with (segments or fields)) and @ad < "20031203" and (medical with history with patient) | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2010/03/22 21:48 |
| S371 | 65 | conver\$4 with document with text with (segments or fields) | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2010/03/22 21:48 |
| S372 | 27 | (conver\$4 with document with text with (segments or fields)) and @ad < "20031203" | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2010/03/22 21:48 |
| S373 | 0 | (conver\$4 with document with text with (segments or fields)) and @ad < "20031203" and (field near2 value) | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2010/03/22 21:48 |
| S374 | 1 | (conver\$4 with document with text with (segments or fields)) and @ad < "20031203" and (field with value) | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2010/03/22 21:48 |
| S375 | 215 | (conver\$4 with document with (segments or fields)) and @ad < "20031203" | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2010/03/22 21:48 |
| S376 | 3 | (conver\$4 with document with (segments or fields) with records) and @ad < "20031203" | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2010/03/22 21:48 |
| S377 | 211 | (conver\$4 with (segments or fields) with records) and @ad < "20031203" | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2010/03/22 21:48 |

| | | | | | | |
|------|----|--|---|----|-----|---------------------|
| S378 | 12 | (conver\$4 with (segments or fields) with records) and @ad < "20031203" and (range with (segments or fields) with records) | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2010/03/22 21:48 |
| S379 | 8 | (conver\$4 with (segments or fields) with records) and @ad < "20031203" and (range with (segments or fields) with records) and ((descript\$4 or name or identfi\$6) with (segments or fields)) | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2010/03/22 21:48 |
| S380 | 2 | (conver\$4 with (segments or fields) with records) and @ad < "20031203" and (range with (segments or fields) with records) and ((descript\$4 or name or identfi\$6) with (segments or fields)) and (value with (segments or fields)) | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2010/03/22 21:48 |
| S381 | 4 | ("6104798" or "6643644").pn. or "20030101238" | US-PGPUB; USPAT | OR | OFF | 2010/03/22 21:48 |
| S382 | 1 | "6826745".pn. | US-PGPUB; USPAT | OR | OFF | 2010/03/22 21:48 |
| S383 | 1 | "20030110090" | US-PGPUB; USPAT | OR | OFF | 2010/03/22 21:48 |
| S384 | 1 | "20030110190" | US-PGPUB; USPAT | OR | OFF | 2010/03/22 21:48 |
| S385 | 16 | (range\$4 with based with (segments or fields) with records) and @ad < "20031203" | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2010/03/22 21:48 |
| S386 | 4 | (range\$4 near2 based with (segments or fields) with records) and @ad < "20031203" | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2010/03/22 21:48 |

| | | | | | | |
|------|----|--|---|----|-----|---------------------|
| S387 | 4 | ((range\$4 near2 based) with (segments or fields) with records) and @ad < "20031203" | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2010/03/22 21:48 |
| S388 | 44 | (range\$4 with values with (segments or fields) with records) and @ad < "20031203" | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2010/03/22 21:48 |
| S389 | 28 | (range\$4 with values with (segments or fields) with records) and @ad < "20031203" and ((descript\$4 or name or identfi\$6) with (segments or fields)) | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2010/03/22 21:48 |
| S390 | 16 | (range\$4 with values with (segments or fields) with records) and @ad < "20031203" and ((descript\$4) with (segments or fields)) | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2010/03/22 21:48 |
| S391 | 33 | (range\$4 with values with (segments or fields) with descript\$4) and @ad < "20031203" | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2010/03/22 21:48 |
| S392 | 2 | ((range\$4 near2 descript\$4) with (values near2 (segments or fields))) and @ad < "20031203" | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2010/03/22 21:48 |
| S393 | 2 | ((range\$4 near5 descript\$4) with (values near2 (segments or fields))) and @ad < "20031203" | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2010/03/22 21:48 |
| S394 | 5 | ((range\$4 near5 descript\$4) with (values near5 (segments or fields))) and @ad < "20031203" | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2010/03/22 21:48 |

| | | | | | | |
|------|-----|---|---|----|-----|---------------------|
| S395 | 305 | (range\$4 with descript \$4) and (values near2 (segments or fields)) and @ad < "20031203" | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2010/03/22 21:48 |
| S396 | 2 | "20040186817" | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2010/03/22 21:48 |
| S397 | 4 | "20020171673" or "6104798".pn. | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2010/03/22 21:48 |
| S398 | 2 | "20020171673" or "6104798".pn. | US-PGPUB; USPAT | OR | OFF | 2010/03/22 21:48 |
| S399 | 141 | ((creat\$4 or generat \$4) near2 file) with smaller with size | US-PGPUB; USPAT | OR | OFF | 2010/03/22 21:48 |
| S400 | 92 | ((creat\$4 or generat \$4) near2 file) with (smaller near2 size) | US-PGPUB; USPAT | OR | OFF | 2010/03/22 21:48 |
| S401 | 28 | ((creat\$4 or generat \$4) near2 file) near3 (smaller near2 size) | US-PGPUB; USPAT | OR | OFF | 2010/03/22 21:48 |
| S402 | 0 | 707/204.ccls. | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2010/03/22 21:48 |
| S403 | 0 | 707/101.ccls. | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2010/03/22 21:48 |
| S404 | 0 | 707/102.ccls. | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2010/03/22 21:48 |

| | | | | | | |
|------|----|--|---|----|-----|---------------------|
| S405 | 8 | (conver\$4 with (segments or fields) with records) and @ad < "20031203" and (range with (segments or fields) with records) and ((descript\$4 or name or identfi\$6) with (segments or fields)) | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2010/03/22 21:48 |
| S406 | 0 | S402 and S405 | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2010/03/22 21:48 |
| S407 | 0 | S403 and S405 | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2010/03/22 21:48 |
| S408 | 0 | S404 and S405 | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2010/03/22 21:48 |
| S409 | 28 | ((creat\$4 or generat \$4) near2 file) near3 (smaller near2 size) | US-PGPUB; USPAT | OR | OFF | 2010/03/22 21:48 |
| S410 | 0 | S402 and S409 | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2010/03/22 21:48 |
| S411 | 0 | S403 and S409 | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2010/03/22 21:48 |
| S412 | 0 | S404 and S409 | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2010/03/22 21:48 |

| | | | | | | |
|------|----|--|---|----|-----|---------------------|
| S413 | 92 | ((creat\$4 or generat \$4) near2 file) with (smaller near2 size) | US-PGPUB; USPAT | OR | OFF | 2010/03/22 21:48 |
| S414 | 0 | S404 and S413 | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2010/03/22 21:48 |
| S415 | 0 | S403 and S413 | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2010/03/22 21:48 |
| S416 | 0 | S402 and S413 | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2010/03/22 21:48 |
| S417 | 2 | "7152062".pn. | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2010/03/22 21:48 |
| S418 | 10 | (authorized with access with medical with history) and @ad < "20031203" and (medical with history with patient) | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2010/03/22 21:48 |
| S419 | 1 | "7379978".pn. | US-PGPUB; USPAT | OR | OFF | 2010/03/22 21:48 |
| S420 | 1 | ((text near3 range) with based) and (table with database) and @ad < "20031203" | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2010/03/22 21:48 |
| S421 | 10 | ((text near3 range) with based) and (table and database) and @ad < "20031203" | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2010/03/22 21:48 |

| | | | | | | |
|------|-----|---|---|----|-----|---------------------|
| S422 | 252 | ((text near2 range)) and (table and database) and @ad < "20031203" | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2010/03/22 21:48 |
| S423 | 2 | ((text near2 range) with compar\$4) and (table and database) and @ad < "20031203" | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2010/03/22 21:48 |
| S424 | 46 | ((text adj range)) and (table and database) and @ad < "20031203" | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2010/03/22 21:48 |
| S425 | 112 | ((text adj string\$1) with compari\$4) and (table and database) and @ad < "20031203" | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2010/03/22 21:48 |
| S426 | 1 | ((text adj string\$1) with compari\$4 with range) and (table and database) and @ad < "20031203" | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2010/03/22 21:48 |
| S427 | 12 | ((text adj string\$1) with compari\$4 with based) and (table and database) and @ad < "20031203" | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2010/03/22 21:48 |
| S428 | 12 | ((text adj string\$1) with compari\$4 with between) and (table and database) and @ad < "20031203" | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2010/03/22 21:48 |
| S429 | 2 | "7194684".pn. | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2010/03/22 21:48 |

| | | | | | | |
|------|---|---|---|----|-----|---------------------|
| S430 | 2 | ((text adj string\$1) with (high\$3 or low\$3) with range) and (table with database) and @ad < "20031203" | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2010/03/22 21:48 |
|------|---|---|---|----|-----|---------------------|

EAST Search History (Interference)

| Ref # | Hits | Search Query | DBs | Default Operator | Plurals | Time Stamp |
|-------|---------|---|----------------|------------------|---------|------------------|
| L1 | 3744015 | medical data records history field value associated authorized user text-based range- based descriptor text-string | USPAT; UPAD | OR | OFF | 2010/03/23 12:31 |
| L2 | 0 | medical data records history field value associated authorized user text-based range- based descriptor text-string | USPAT; UPAD | AND | OFF | 2010/03/23 12:32 |

3/ 23/ 2010 12:32:43 PM**C:\ Documents and Settings\ klu\ My Documents\ EAST\ Workspaces\ 10727184a.wsp**